

App. F. IX-4

Previous References

1927.
('mugru')

File No. 401-2)

Serial Nos. 1-5

Later References

muz 3 45-26-1-41

" 312-29-1-2

General and Revenue Secretariat.

Serial Nos. 5

Part B for September 1928

SUBJECT

Estimate for repairs of the Sri Venkataravane
Swarai temple at Malikal Tirupathy, Arasikere
Taluk

G.O. No. 693-5

Dated 29. 9. 28

To the Secy. Govt

" Ch. Secy

" Comptroller

The estimate for Rs 4032/- is sanctioned,
the charges for tools etc being waived as proposed.

[Signature]

General and Revenue
Secretariat.

File No 401 of 1927.

Serial
No.~~To the Muz. Court, no. 631 of 27 to 27.~~~~Requests him to send quarterly
progress reports until all the cases are
worked up & all the works are carried
out.~~

From the M.C., no. C. 106 of 27-28 & 28.10.27.

Forwards a copy of his letter to the
Ch. Eng. ~~reg~~ forwarding for his ~~pat~~
scrutiny and sub: to Govt. for
sanction an estimate for Rs 4630 for
the urgent repairs of the Sri Venkateswara
Temple at Malekal
Tirupathy, Arsihere Taluk.

Secretary's orders on the letter.

U.S. Muz. - Please see to it to secure for
information. (H.S.)

2 The receipt of
from the Secy.
The receipt of
not in.

378

App. F. III-2]

General and Revenue
Secretariat.

Muz File No. 401 of 1927-28

Serial
No.

3 20. Muz Com - No 3708, 16.8.28
Request him to intimate the source from which the cost of the estimate may be met.

4 From the Muz. Com letter no. 606 of 27-28 & 4.9.28.

Recommends that the estimate for repairs to Sri Venkataramanaswamy Temple at Malhal Tirupathy, Nellore Taluk, which has been reduced from Rs 4630 to Rs 4032 by the Bli. Muz. may be sanctioned & the establl. tools and plant charges waived -

10. The estimate for repairs of the temple for Rs 4630 was sent to the Bli. Muz. for scrutiny & the latter has after scrutiny reduced it to Rs 4032, exclusive of establl. tools and Plant charges.



11. The M. C. states that the amount at the credit of the institution was Rs 4120-13 0 at the end of June 28 & that the cost of the estimate may be met from the above sum, the percentage charge being waived.

NOTE—Contn. sheet



General and Revenue
Secretariat.

File No. 401 of 1927.

Serial
No.



6355
29.10.



NOTE—Contn. sheet

Then, the cost was ...
next year's ...
Rs 3200 to be met ...
the institution
3. If approved
accordingly, ...
from the ...
submitted for ...
2nd member ...
Dewan ...
27.10.27 ...
27.10.27 ...
28.10.27

5th ...
28.10.27
4

6. M

27-1-27
4

21/10

2 From the ... letter no. 1096 B
subt. for sanction on 2/8/28
estimate for Rs 4032/- for the repairs
of the Sri Venkataswamy Temple at Malihal Tirupathi in
the Arsihere Taluk.

7. Draft requesting the ... to
point out the sources from which
the cost of the estimate ...
is subd. for approval

8. 18/11/27

11 D 0021-411-60,000-21027
2/8/28

9. 20/11/27
21/11/27
28/11/27
28/11/27

General and Revenue
Secretariat.

my File No. 401 of 1927-28

Serial
No.

as a special case. In his letter of 2-8-28, the Ch. Engr. states that no provision for visitat, Tools & Plant charges has been made in the estimate, as a portion of the cost of the original estimate was proposed to be met from the Genl. Muz. Fund. Now that the entire cost is proposed to be met from the funds at the credit of the institution, it is a point for consideration whether the Ch. Engr. would agree to the percentage ~~100~~ charges being waived, as proposed by the Muz. Comr.


12. Subd. for orders as to whether the estimate may be sanctioned, as recommended by the M.C. or Ch. Engr. consulted before doing so.

SD-
13-9-28
sd
11/9/28

13. The M.C. recommends the raising as a Pl. Can. may perhaps be accepted

sd
H. H. H. 18/9

14. May be SD, Est and Tools & Plant charges being waived



NOTE—Contn Sheet.

18/9

General and Revenue
Secretariat.

Muz File No. 401 of 1927.

Serial
No.

15. Dm. same is sent up.

85?
25/9/28m.
21/9/28

16) Same D 22/9

5. no. 693-5 dated 29.9.28. & the
ch. reys. muz. com. & comp. to.

The estimate for Rs 4032/- is sanc-
tioned, the estd. tools & plant charge,
being waived, as a special case

No. C 106/27-28
one page file

Office of the Muzrai Commissioner in Mysore.

Dated Bangalore, 20th October 1927.
22

From

P. G. D'Souza, Esq., B.A., B.L.,

Muzrai Commissioner in Mysore,

B a n g a l o r e.

To

The Chief Engineer of Mysore,

B a n g a l o r e.

Sir,

With reference to Dewan's tour notes in Hassan District in March 1927 regarding certain repairs to the Sri Venkataramanaswami temple at Malekal Tirupathy Arasikere Taluk, I have the honor to forward herewith for favour of scrutiny and submission to Government for sanction an estimate for Rs.4630/- for the urgent repairs of the temple prepared by the Executive Engineer Hassan Division and received with correspondence ending with letter No.1595 of 26 dated 24th September 1927 from the Deputy Commissioner Hassan.

The institution had Rs.3957-5-10 at its credit at the end of June 1927 according to the accounts kept in this office and a sum of Rs.676/- has recently been sanctioned by me for the urgent repairs of the car of the temple. Thus only Rs.3281/- is available at the credit of the institution to meet the cost of this estimate.

I have inspected the institution and all the items mentioned in the estimate seem necessary. I request therefore that the ---- estimate may be got sanctioned the cost being met as follows:--

Rs.3200/- from the funds of the institution.

Rs.1430/- From the accumulated savings of the General Muzrai Funds as no amount can be spared for this work from the current year's allotment of State-grant or the Muzrai Fund Budget.

Rs.4630/-

A copy of the Deputy Commissioners letter dated 24th -----

September ---

September 1927 together with the file is enclosed.

I have the honor to be,

Sir,

Your most obedient servant,

(Sd.) F. G. D'Souza,

Muzrai Commissioner


No. C 106/27-28
25-10-27

Muzrai 401-27-1

SECRETARY
27 OCT 1927
MUZRAI

504

Copy of the above is forwarded with compliments to the Secretary
to the Government of his Highness the Maharaja of Mysore, Financial ---
Department for information.



W. M. Y. S. 27/10/27
27/10/27

F. G. D'Souza

Muzrai Commissioner.

ha


No. 1096

Encl. 1 copy & letter.

1 file with Plan & estimate, Mysore.

MYSORE PUBLIC WORKS DEPARTMENT,
CENTRAL OFFICE,


Dated Bangalore, 21/8/1928.



FROM

JOHN BHOORE, Esq., A.M.I.C.E.,
Chief Engineer of Mysore,
Bangalore.

Muz 441- 2



B. Srinivasa Iyengar, Esq., B.A., B.L.,
Financial Secretary to the Government of Mysore,
Bangalore.

SIR,

Subject:- Repairs to the Sri Venkataramanaswami temple at Malekal
Thirupathi in the Arsikero Taluk.

With reference to correspondence ending with your D.O. letter
No. 2428/Muz.16-27 dated the 22nd June 1928, I have the honour to ----
forward herewith, for sanction, an estimate amounting to Rs.4,032/- for
the above work.

2. The work is an item contained in the Dewan's Tour Notes in ---
the Hassan District.
3. The report accompanying explains the provisions made for the
work.
4. As the Muzrai Commissioner has stated in his letter No.C.106/
27-28 dated the 20th October 1927 (copy enclosed) that the cost will be
met from the funds of the institution, and from the accumulated savings
of the General Muzrai Funds; no provision towards Establishment and ---
Tools and Plant charges has been made in the estimate.

I have the honour to be,
Sir,
Your most obedient servant,

CHIEF ENGINEER OF MYSORE.

T.R.S.

SUBJECT.....

Diary No. of letter replied to.....199.....

General and Revenue Secretariat

(my)
the 192

Date of issue.....

16/8/28

Signed by.....

H. K. Somaswami

List of enclosures.....

Copied by

Examined by

Section

File No.

Serial No.

No.

To

Sir,

With reference to your letter no. C 106 of 27 28 & 22.0.28 re repairs to the Sri Venkataramanabwami Temple at Malekal Firupatley, Avotter Taluk, I am directed to forward herewith a copy of letter no. 1096 with its enclosures from the Sd. Secy. of Mysore forwarding for sanction measures to for R.

over

work and to request that
the sources from which the
cost is proposed to be met
may be pointed out. ^{The} ~~upper~~
proposal ~~to~~ made in your
letter of 22.10.27 that Rs 1430
may be met from the accumulated
savings of the Genl. Muz. Fund
does not meet ~~to~~ with the
approval of Govt. -

I have etc


~~7/8~~
7/8

Secretary
H. Dept.

SD -
7/8/28
M
W.D.V.

May
7.8 28

M. C. 131



OFFICE OF THE MUZRAI COMMISSIONER IN MYSORE,
Bangalore.....1st September.....1928.
46

No. *10681* *File with plant estimates*
27-8

FROM

P. G. D'Souza, Esq., B.A., P.L.,
The Muzrai Commissioner in Mysore.

6
MUZRAI
2378
Mar 401-27-4

47 To

B. Srinivasa Iyengar, Esq., B.A., P.L.,
Secretary to the Government of the
Highness the Maharaja of Mysore,
Financial Department.

SIR,

With reference to your letter No.370 Duz.13-27 dated 16th August 1928 requesting to be informed of the source from which the cost of the estimate for Rs.4032 for repairing the Sri Venkateswara Temple at Malekal Tirupathy Arasikere Taluk may be met, I have the honor to state as follows:--

When the estimate was sent to the Chief Engineer for scrutiny on 22-10-27 it was for Rs.4630 and as the institution had not had sufficient funds at its credit then to meet the cost of the estimate and as ~~there~~ there was no amount in the annual allotment from state grant or general Muzrai funds it was proposed to meet a portion of the cost from the accumulated interest of the General Muzrai fund. The estimate after scrutiny by the Chief Engineer was reduced to Rs.4032/- exclusive of the establishment, tools and other charges.

The institution had a sum of Rs.1123-13-6 at its credit on 1st June 1928. This sum is sufficient to meet the cost of the estimate excluding the usual establishment, tools and other charges. If waived, there will be no need for Government sanction. In these circumstances I beg to recommend that the cost of the estimate for plant charges may be waived as special case and not to be sanctioned for Rs.4032/- the cost being met from the credit of the institution.

The estimate and the connected file received with your letter ~~is~~ *are*
herewith enclosed.

I have the honor to be,

Sir,

Your most obedient servant,

M. Kuma 3/8/84
Assistant Commissioner,
for Muzrai Commissioner.
(absent from station)

MS

SUBJECT.....

Diary No. of letter replied to.....378.....

General and Revenue Secretariat

(Mys)
, the 192

Date of issue.....29/3/28.....

Signed by.....

* May this be

- i Printed ?
- ii treated as a standing order ?
- iii published in the Gazette
English Part ?
- iv translated
- v placed at the disposal of the press ?
- vi published in the Gazette,
Kannada Part ?

Section *mur*

File No. 401-27

Serial No. 5

Proceedings of the Government of
His Highness the Maharaja of Mysore.

Read— Letter no. 1096 of 2.7.28
from the Comptroller of
Mysore forwarding for
sanction ~~and~~ after
scrutiny ~~and~~
for Rs 4032 for the repairs
of Sri Venkateswara
Temple at Nalagat Simhasi
in the Aradhana Taluk.
~~Order thereon No.~~

2) (transcription)

with the no 106 of
28
of 7.7.28 from the Mysore
in Mysore recommending
that the

of which has been reduced
by the Bl. range from
Rs 4630 to Rs 4032, may
be sanctioned, the establ-
ment, tools and plant etc. etc,
which have not been included

estimate, being waived
as a special case and the
cost met from the funds
at the credit of the institution.

Q. 800:- 6935 E. S. S. estimate 16.8

The Muz. Comr reports that the funds at credit of the institution are just sufficient to meet the cost of the ^{reduced} estimate for Rs 1032 & therefore requests that the usual percentage charges may be waived as a special case.

List of enclosures.

9. 17. 79 the circumstances, Copied by
of note by R 203 -

secret, the establishment
'not if' not else, being wanted.

As soon as, as proposed, he
draws the funds of the credit
to the satisfaction. 10/29

22/9
Mr 3. - Mr Henry
H. Dept

Handwritten signature: *W. H. H. H.*

Examined by

WD 1868—GFE—1,000,00—21 12-21

60. The B. L. Range of Mysore,
with the estimate &
" Rev. Court with a copy
" of the estimate & other
" Compts. - enclos:
" a of

Proceedings of the Government of His Highness
the Maharaja of Mysore.

Read.-

Letter No. 1096 dated 2nd August 1928 from the Chief Engineer of Mysore forwarding for sanction, after scrutiny, an estimate for Rs. 4032/- for the repairs of Sri Venkataramaswami temple at Malakal Tirupathi in the Arsikere Taluk.

2. Correspondence ending with letter No. 106 of 1927-28 dated 4th September 1928 from the Muzrai Commissioner in Mysore recommending that the estimate, the cost of which has been reduced by the Chief Engineer from Rs. 4650 to Rs. 4032, may be sanctioned, the establishment, tools and plant charges, which have not been included in the estimate, being waived as a special case, and the cost met from the funds at the credit of the institution.

Order No. 693-S/muz 408-27-S - Enc. 2 sheets
Dated, Bangalore, the 28th September 1928
29/9

The Muzrai Commissioner reports that the funds at the credit of the institution are just sufficient to meet the cost of the reduced estimate for Rs. 4032/- and therefore requests that the usual percentage charges may be waived, as a special case.

3. Under the circumstances, the estimate for Rs. 4032/- is sanctioned, the establishment, tools and plant charges being waived. The cost will, as proposed, be met from the funds at the credit of the institution.

Fair Draft

H. S. Narayana
For Secretary to Government,
Financial Department.

To

The Chief Engineer of Mysore with the sanctioned estimate.
The Muzrai Commissioner in Mysore with a copy of the abstract estimate and other enclosures.
The Comptroller to the Government of Mysore with a copy of the abstract estimate.

ABSTRACT OF ESTIMATE FOR
repairing the Sri Venkataramanaswamy temple at Malekal
Muz 50]. Tirupathi in the Arsikere Taluk.

Particulars	Per	Rate	Quantity	Cost
1. Providing and fixing burnt stone slabs to floor including a line & dressing one side and top and cement pointing.	sqr.	50	56.13	2807-0-0
2. do Cadapha slabs to main temple over mortar bed and cement pointing.	"	35	15.53	544-0-0
3. Providing iron doors complete.	sft.	2	50	100-0-0
4. White washing with seat folding	sqr.	5	706.18	220-0-0
5. Color borders to compound wall	L. S.			100-0-0
6. Grouting with cement on crach on roof.	"	5	8	40-0-0
7. Chunnam plastering	"	4 8	10	45-0-0
8. Rectification of ~~in~~ images and figures.	L. S.			60-0-0
9. Repairing doors with iron works. (Main door)	L. S.			20-0-0
10. do other doors and windows.	L. S.			30-0-0
11. Digging and removing concrete	cft	6	1871	58-0-0
12. do		6	259	8-0-0
Total				4032-0-0
~~Establishment, tools and Plant charges.~~				~~423-0-0~~
Add ~~Contingencies at~~				~~195-0-0~~
Grand Total				4650-0-0
* C O F Y *				
 Superintendent, Muzrai Branch.				

Sanctioned for Rs.

No

dated

WD 0611 - GPB - 250 - 3 8-22

in Govt. Pros.

From

THE CHIEF ENGINEER OF MYSORE,
BANGALORE.

To

The Financial Secretary to Govt.,
BANGALORE.

No. 2742 Dated 19.9.28

FINANCIAL SECRETARY

20 SEP. 1928

No.

Sir,

I have the honor to invite reference to the communication noted on the margin and to request the favour of an early reply thereto.

Requesting to return duly sanctioned the estimate for repairs to the Sri Venkataramaswamy temple --
at Malekal Thirupathi in the Anekal Taluk. -----
No. 1096 dated 2nd August 1928.

I have the honour to be,
Sir,
Your most obedient servant,

[Signature]
FOR CHIEF ENGINEER OF MYSORE.

*Why delay
vide Draft 209
pub af sanctioned
882
N.J.P. 21/9
24/9/28
See M/24/9*